

An Architectural Decision Modeling Framework for SOA and Cloud Design

Dr. Olaf Zimmermann
IBM Research – Zurich

olz@zurich.ibm.com



Session Abstract

In this presentation, we demonstrate how reusable architectural decision models can support Service-Oriented Architecture (SOA) and cloud design: We present an architectural decision modeling framework called SOA Decision Modeling (SOAD) which treats recurring architectural decision as first-class architecture design artifacts. SOAD provides a technique to systematically identify such recurring decisions.

We also present a reusable architectural decision model for SOA that was created with SOAD. This model separates long lasting platform-independent decisions from rapidly changing platform-specific ones; the alternatives in a conceptual model level reference architectural patterns. SOAD has its roots in our industry projects conducted since 2001; it has been leveraged successfully by practitioners since 2006.

SOAD is not only applicable to enterprise application, SOA, and cloud design, but also to other application genres and architectural styles. It supports use cases such as education, knowledge exchange, design method, review technique, governance instrument, and architecture change management.

Agenda

- Motivation and case study
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- Emerging tool support (demo)
- Discussion and summary

Agenda

- **Motivation and case study**
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- Emerging tool support (demo)
- Discussion and summary

Architectural Decisions: Current Trends



- Decision capturing support soon to be mandatory in architecture descriptions conforming to standard

<http://www.viewpoints-and-perspectives.info>

<http://www.architecting.co.uk/index.php>

**ISO/IEC WD4 42010
IEEE P42010/D6**

- Popular text books and mature methods promote the concept
- Practitioner demand
- No tools yet

What are Architectural Decisions? Why Bother?

- **“The design decisions that are costly to change” (Grady Booch, 2009)**

- **Our definition (from <http://soadecisions.org/soad.htm#wicsa>):**

“Architectural decisions capture key design issues and the rationale behind chosen solutions. They are conscious design decisions concerning a software system as a whole, or one or more of its core components, with impact on non-functional characteristics such as software quality attributes.”

- **From IBM UMF work product description ART 0513 (previous name: ARC 100):**


“The purpose of the Architectural Decisions work product is to:

- Provide a single place to find important architectural decisions
- Make explicit the rationale and justification of architectural decisions
- Preserve design integrity in the provision of functionality and its allocation to system components
- Ensure that the architecture is extensible and can support an evolving system
- Provide a reference of documented decisions for new people who join the project
- Avoid unnecessary reconsideration of the same issues”

Case Study: Telco Service Orders

VSP – Virtual Service Provider
PSTN – Public Switched Telephone Network

Firefox is a registered trademark of the Mozilla Foundation




Important Non-Functional Requirements (NFRs)

- 1. The software system supporting the two order management processes must be accessible both over a private industry-sponsored network and the Internet. The VSPs and the backend systems to be integrated (e.g., billing system) change over time.**
- 2. Business volumes are approximately 20,000 “Create PSTN service” requests and 15,000 “Move PSTN service” requests per month.**
 - Given up to 20 steps per process, and a peak hour load of 30% above average, this equates to a peak load of about 4,550 steps executed per hour (based on core business hours of ten hours per day, 20 days per month)
- 3. Initially, process instances must be able to persist from first step to last for three hours; however, this time will be extended to up to 24 hours in the future.**
- 4. VSPs are spread across a number of time zones, operating 23 hours per day and seven days per week.**
- 5. Average response time targets vary by process step, typically 3-5 seconds; 95% of the user interactions need to complete execution in 5-8 seconds.**
- 6. Domain-specific architecture design challenges include: 1. Address validation completeness and timeliness, 2. Releasing reserved resources (copper transmission path, telephone number) when a process instance fails or customer walks away.**
- 7. Communication patterns and protocols must support multiple platforms.**

Architecture Overview Diagram (Informal)


Firefox is a registered trademark of the Mozilla Foundation



Agenda

- Motivation and case study
- **Usage scenarios for architectural decision modeling**
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- Emerging tool support (demo)
- Discussion and summary

Three Usage Scenarios for Architectural Decisions




Agenda

- Motivation and case study
- Usage scenarios for architectural decision modeling
- **Scenario 1: After-the-Fact Decision Capturing**
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- Emerging tool support (demo)
- Discussion and summary

Scenario 1 (Documentation): A Story from the Case Study (2004-2005)

“According to our **method**, I have to create a **work product** called ‘Architectural Decisions’. It is supposed to record the key **decisions made** on the order management SOA project, and the **rationale** behind them.”



Solution Architect

“This will help me survive the upcoming technical **quality assurance review** requested by the world-wide SOA subject matter expert they will be flying in shortly. And hopefully it will **stop** these **endless and pointless discussions** ‘why SOA’ that our developers have been raising since the project start.”

“So let’s create an architectural decisions work product:


1. We **decided for process-enabled SOA** because the business scenario is a **long running, multi channel, multi actor scenario** with **heavy resource coordination requirements**. There are 20 backend systems, only a few of which are transactional.
2. We decided for **BPEL** because **it is a standardized workflow language** with emerging tool and runtime support. The out-of-the-box support for compensation will help us meet the coordination requirements.
3. We decided for **IBM WebSphere products** because this **the preferred vendor** of the client. The IBM BPEL engine can easily handle the required load. BPEL is new (July 2004), so lab advocacy will be needed.

This is getting **tedious in MS Word** although I have all insight I need. Will capture the next few ones later. I really **need a tool** that supports decision capturing and sharing.”

Architectural Decision (AD) about Integration Style – Documented according to IBM Unified Method Framework (UMF)

Subject Area	Process and service layer design	Topic	<i>Integration</i>
Name	Integration Style	AD ID	3
Decision Made	We decided for RPC and the Messaging pattern (Enterprise Integration Patterns)		
Issue or Problem	How should process activities and underlying services communicate?		
Assumptions	Process model and requirements NFR 1 to NFR 7 are valid and stable		
Motivation	If logical layers are physically distributed, they must be integrated.		
Alternatives	File transfer, shared database, no physical distribution (local calls)		
Justification	This is an inherently synchronous scenario: VSP users as well as internal T staff expect immediate responses to their requests (NFR 5). Messaging will give us guaranteed delivery (NFR 3, NFR 6).		
Implications	Need to select, install, and configure a message-oriented middleware.		
Derived Requirements	Many finer grained patterns are now eligible and have to be decided upon: message construction, channel design, message routing, message transformation, system management (see Enterprise Integration Patterns book).		
Related Decisions	Next, we have to decide on one or more integration technologies implementing the selected two integration styles. Many alternatives exist, e.g., Java Message Service (JMS) providers.		

Architectural Decision Making in Context – Decision Drivers



Zimmermann O.,
 An Architectural Decision Modeling
 Framework for SOA Design.
 Dissertation.de, 2009

Valid Justifications... and Counter Examples

- **Convincing rationale:**
 - Direct link to (non-)functional requirements, quality attributes in particular
 - Positive experience on previous project
 - Existing skills, license agreements


- **Poor justifications:**
 - Market momentum (technology or vendor push)
 - Only one alternative known/considered
 - Keep CVs of team members current

- More examples are given in this IBM developer works article:
<http://www.ibm.com/developerworks/architecture/library/ar-knowwiki1/>


Agenda

- Motivation and case study
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- **Scenario 2: Active Method Guidance**
- Scenario 3: Cross-role Collaboration and Tool Integration
- Emerging tool support (demo)
- Discussion and summary


Scenario 2 (Guidance): The Case Study Continues




From AD Documentation to Active Method Guidance




Entity Types and Associations in UML Metamodel




Template Used to Present Issues and Alternatives




Integration Layer Design Issue: *Message Exchange Pattern*




Issues Dealing with *System Transaction Boundaries* Topic




Issues Dealing with *Service Granularity* Topic




Conceptual/Technology Issues about *Encryption*



Vendor Asset Level *Clustering* Issues




SOA Design Issues Organized by Levels and Layers




Agenda

- Motivation
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- **Scenario 3: Cross-Role Collaboration and Tool Integration**
- Emerging tool support (demo)
- Discussion and summary

Scenario 3 (Cross Role): Desired State in the Case Study



From Requirements to Architectural Decisions




How to build the processes/services and satisfy their quality requirements and constraints?


Architectural Decisions

Recurring decisions carry *best practices* regarding *pattern adoption*

Active Method Guidance (Meta Issue Level): Handshakes between Design Models and Decision Models




(Meta) Issue Identification in High-Level Component Models



- Each concrete component and connector in chosen reference architecture yields concrete issues derived from meta issues
- E.g. Web service component, WebSphere topology unit

Conceptual Operational Model (COM) and Rational Software Architect Topology: Decisions Made/Required


Decision made: Model a single location for entire order management system, rationale: physical separation/mirroring not required




Deployment Perspective – Topology Model – Topology Diagram Editor

Scenario 3: Cross Role Collaboration (Continued)

“The order management project was a big success. The team learned a lot about the design of process-driven SOA. We plan to apply this architectural style on several new projects; hence, we would like to **establish architectural principles** such as loose coupling and **share best practices** throughout the company. To make this actionable, I will **upgrade the decision model from the project to a company-wide guidance model**. The issues in the guidance model have to be resolved explicitly on each and every solution development project. If any alternatives are chosen that are not in the guidance model, enterprise-level approval is required.”



Enterprise Architect



Solution Architect

“I was initially skeptic about this company-wide guidance model: We have enough **policies and principles** already. And in the end, the business requirements overrule everything. Finally, who will populate the model and keep it up to date? None of the knowledge management approaches we have tried worked in the long term.”

“I have to admit that they managed to find a **balance** between **freedom-of-choice** and **freedom-from-choice**. The issues and alternatives in the model are all relevant, easy to locate and to digest, but far away from being trivial. With the new tooling, it is really simple to submit desclets from the project to the knowledge harvesting process.”

Vision: Enterprise-Wide Guidance Model


- Enterprise architecture group owns and maintains guidance model
 - Input comes from solution architects on development/integration projects
 - Quality assured, aligned with enterprise IT strategy
- Does not mandate a particular architecture, but frames design work
 - Recommend certain alternatives:
 - E.g. “always use document/literal SOAP”
 - Ban others:
 - E.g. “no open source assets can be used due to open legal issues”
 - Finding a balance between freedom-of-choice and freedom-from-choice
- Allows project teams to share lessons learned and best practices
 - Actionable enterprise architecture
 - Enterprise architects perceived as friends, not foes

Agenda

- Motivation
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- **Emerging tool support (demo)**
- Discussion and summary

Architectural Decisions Knowledge Tools Project (Rational/RES)


- Regulatory compliance
 - E.g., maturity models
- Collaboration
 - In geographically distributed teams
- Reuse
 - Of already gained knowledge
- Other required features:
 - Import and export
 - Searching and filtering
 - Dependency management
 - Report generation



Agenda

- Motivation
- Usage scenarios for architectural decision modeling
- Scenario 1: After-the-Fact Decision Capturing
- Scenario 2: Active Method Guidance
- Scenario 3: Cross-Role Collaboration and Tool Integration
- Emerging tool support (demo)
- **Discussion and summary**

Value of Architectural Decision Modeling



Summary and Discussion

- Architectural decision making is a key responsibility of IT architects which is often underestimated and underrepresented in existing methods and tools.
- In SOA design, many decisions recur. This makes it possible to reduce the documentation effort and to share architectural decision knowledge including best practices (design acceleration and quality assurance).
- Prototypical tool support for decision modeling with reuse is available.
- We would like to hear from you now...
 - ... are the presented scenarios, concepts, and tool features useful and usable?
 - ... would you have additional requirements, e.g. collaboration and integration needs?
- Email: olz@zurich.ibm.com, website: www.soadecisions.org